

## Freezing of mouse embryos by vitrification

Agrawal KP, Polge C. Cryopreservation of mouse embryos at -196 degrees C by vitrification. *Indian J Exp Biol* 1989; 27: 383-4.

Ali J, Shelton JN. Design of vitrification solutions for the cryopreservation of embryos. *J Reprod Fertil* 1993a; 99: 471-7.

Ali J, Shelton JN. Vitrification of preimplantation stages of mouse embryos. *J Reprod Fertil* 1993b; 98: 459-65.

Anzai M, Nishiwaki M, Yanagi M, Nakashima T, Kaneko T, Taguchi Y, et al. Application of laser-assisted zona drilling to in vitro fertilization of cryopreserved mouse oocytes with spermatozoa from a subfertile transgenic mouse. *J Reprod Dev* 2006; 52: 601-6.

Babaei H, Nematollahi-Mahani SN, Kheradmand A. The effects of Vitamin A administration on the development of vitrified-warmed mouse blastocyst. *Anim Reprod Sci* 2006; 95: 125-33.

Bagis H, Mercan HO, Cetin S, Sekmen S. The effect of equilibration time on survival and development rates of mouse pronuclear-stage embryos vitrified in solid surface (SSV) and conventional straws: in vitro and in vivo evaluations. *Mol Reprod Dev* 2005; 72: 494-501.

Bagis H, Odaman H, Sagirkaya H, Dinnyes A. Production of transgenic mice from vitrified pronuclear-stage embryos. *Mol Reprod Dev* 2002; 61: 173-9.

Bagis H, Sagirkaya H, Mercan HO, Dinnyes A. Vitrification of pronuclear-stage mouse embryos on solid surface (SSV) versus in cryotube: comparison of the effect of equilibration time and different sugars in the vitrification solution. *Mol Reprod Dev* 2004; 67: 186-92.

Baranyai B, Bodo S, Dinnyes A, Gocza E. Vitrification of biopsied mouse embryos. *Acta Vet Hung* 2005; 53: 103-12.

Bautista JA, Takahashi Y, Kanagawa H. In vitro viability of mouse 8-cell embryos vitrified in a simple solution of ethylene glycol. *Jpn J Vet Res* 1997; 45: 67-73.

Bautista JA, Takahashi Y, Kanagawa H. In vitro viability of mouse zygotes vitrified in ethylene glycol. *Jpn J Vet Res* 1998; 45: 193-8.

Boonkusol D, Gal AB, Bodo S, Gorhony B, Kitiyanant Y, Dinnyes A. Gene expression profiles and in vitro development following vitrification of pronuclear and 8-cell stage mouse embryos. *Mol Reprod Dev* 2006; 73: 700-8.

Chen SU, Lee TH, Lien YR, Tsai YY, Chang LJ, Yang YS. Microsuction of blastocoelic fluid before vitrification increased survival and pregnancy of mouse expanded blastocysts, but

pretreatment with the cytoskeletal stabilizer did not increase blastocyst survival. *Fertil Steril* 2005; 84 Suppl 2: 1156-62.

Chen SU, Lien YR, Cheng YY, Chen HF, Ho HN, Yang YS. Vitrification of mouse oocytes using closed pulled straws (CPS) achieves a high survival and preserves good patterns of meiotic spindles, compared with conventional straws, open pulled straws (OPS) and grids. *Hum Reprod* 2001; 16: 2350-6.

Coutinho AR, Mendes CM, Caetano HV, Nascimento AB, Oliveira VP, Hernandez-Blazquez FJ, et al. Morphological changes in mouse embryos cryopreserved by different techniques. *Microsc Res Tech* 2007; 70: 296-301.

Cseh S, Horlacher W, Brem G, Corselli J, Seregi J, Solti L, et al. Vitrification of mouse embryos in two cryoprotectant solutions. *Theriogenology* 1999; 52: 103-13.

Dagnaes-Hansen F, Hau J. Quick freezing of mouse embryos: freezing of inbred strains and 2- and 4-cell embryos by vitrification. *In Vivo* 1988; 2: 339-43.

Dattena M, Sanna V, Cappai P. In vitro viability of vitrified mouse morulae thawed at different temperatures. *Boll Soc Ital Biol Sper* 1995; 71: 69-73.

Dinnyes A, Wallace GA, Rall WF. Effect of genotype on the efficiency of mouse embryo cryopreservation by vitrification or slow freezing methods. *Mol Reprod Dev* 1995; 40: 429-35.

Friedler S, Giudice LC, Lamb EJ. Cryopreservation of embryos and ova. *Fertil Steril* 1988; 49: 743-64.

Friedler S, Shen E, Lamb EJ. Cryopreservation of mouse 2-cell embryos and ova by vitrification: methodologic studies. *Fertil Steril* 1987; 48: 306-14.

Hredzak R, Ostro A, Zdilova V, Maracek I, Kacmarik J. Survival of mouse embryos after vitrification depending on the cooling rate of the cryoprotectant solution. *Acta Vet Hung* 2006; 54: 117-25.

Huang CC, Lee TH, Chen SU, Chen HH, Cheng TC, Liu CH, et al. Successful pregnancy following blastocyst cryopreservation using super-cooling ultra-rapid vitrification. *Hum Reprod* 2005; 20: 122-8.

Isachenko V, Montag M, Isachenko E, van der Ven H. Vitrification of mouse pronuclear embryos after polar body biopsy without direct contact with liquid nitrogen. *Fertil Steril* 2005; 84: 1011-6.

Ishida GM, Saito H, Ohta N, Takahashi T, Ito MM, Saito T, et al. The optimal equilibration time for mouse embryos frozen by vitrification with trehalose. *Hum Reprod* 1997; 12: 1259-62.

Kartberg AJ, Hambiliki F, Arvidsson T, Stavreus-Evers A, Svalander P. Vitrification with DMSO protects embryo membrane integrity better than solutions without DMSO. *Reprod Biomed Online* 2008; 17: 378-84.

Kasai M. Cryopreservation of mammalian embryos. Vitrification. *Methods Mol Biol* 1995; 38: 211-9.

Kasai M, Komi JH, Takakamo A, Tsudera H, Sakurai T, Machida T. A simple method for mouse embryo cryopreservation in a low toxicity vitrification solution, without appreciable loss of viability. *J Reprod Fertil* 1990; 89: 91-7.

- Kasai M, Nishimori M, Zhu SE, Sakurai T, Machida T. Survival of mouse morulae vitrified in an ethylene glycol-based solution after exposure to the solution at various temperatures. *Biol Reprod* 1992; 47: 1134-9.
- Kasai M, Zhu SE, Pedro PB, Nakamura K, Sakurai T, Edashige K. Fracture damage of embryos and its prevention during vitrification and warming. *Cryobiology* 1996; 33: 459-64.
- Kong IK, Lee SI, Cho SG, Cho SK, Park CS. Comparison of open pulled straw (OPS) vs glass micropipette (GMP) vitrification in mouse blastocysts. *Theriogenology* 2000; 53: 1817-26.
- Kuleshova LL, MacFarlane DR, Trounson AO, Shaw JM. Sugars exert a major influence on the vitrification properties of ethylene glycol-based solutions and have low toxicity to embryos and oocytes. *Cryobiology* 1999; 38: 119-30.
- Kuleshova LL, Shaw JM, Trounson AO. Studies on replacing most of the penetrating cryoprotectant by polymers for embryo cryopreservation. *Cryobiology* 2001; 43: 21-31.
- Landa V. Cryopreservation of mouse zona-free embryos and embryos exposed to biopsy and reconstruction by vitrification in microdrops. *Folia Biol (Praha)* 1991; 37: 171-8.
- Landa V, Slezinger MS. Vitrification of intact and half 8-cell mouse embryos injected with DNA at 2-cell stage. *Folia Biol (Praha)* 1991; 37: 189-96.
- Landa V, Slezinger MS. Production of transgenic mice from DNA-injected embryos cryopreserved by vitrification in microdrops. *Folia Biol (Praha)* 1992; 38: 10-5.
- Landa V, Tepla O. Cryopreservation of mouse 8-cell embryos in microdrops. *Folia Biol (Praha)* 1990; 36: 153-8.
- Lane M, Schoolcraft WB, Gardner DK. Vitrification of mouse and human blastocysts using a novel cryoloop container-less technique. *Fertil Steril* 1999; 72: 1073-8.
- Lee DR, Yang YH, Eum JH, Seo JS, Ko JJ, Chung HM, et al. Effect of using slush nitrogen (SN2) on development of microsurgically manipulated vitrified/warmed mouse embryos. *Hum Reprod* 2007; 22: 2509-14.
- Lian A, Qu YX, Huang YX, Ma WW, Tang JM, Cheng GX. [Comparison of vitrification cryopreservation among different stages of mouse embryos]. *Shi Yan Sheng Wu Xue Bao* 2003; 36: 279-82.
- Liehman P, Tepla O, Fulka J. Vitrification of mouse 8-cell embryos with glycerol as a cryoprotectant. *Folia Biol (Praha)* 1990; 36: 240-51.
- Macas E, Merki-Feld GS, Xie M, Stiller R, Pelczar P, Imthurn B. High survival and developmental rates of vitrified mouse zygotes following polar body biopsy. *Reprod Biomed Online* 2008; 16: 271-5.
- Mazur P. Equilibrium, quasi-equilibrium, and nonequilibrium freezing of mammalian embryos. *Cell Biophys* 1990; 17: 53-92.
- Men HS, Chen JC, Ji WZ, Shang EY, Yang SC, Zou RJ. Cryopreservation of kunming mouse oocytes using slow cooling, ultrarapid cooling and vitrification protocols. *Theriogenology* 1997; 47: 1423-31.

- Miyoshi I, Ishikawa K, Kasai M, Kasai N. A practical transport system for mouse embryos cryopreserved by simple vitrification. *Lab Anim Sci* 1992; 42: 323-5.
- Mozdarani H, Moradi SZ. Effect of vitrification on viability and chromosome abnormalities in 8-cell mouse embryos at various storage durations. *Biol Res* 2007; 40: 299-306.
- Mukaida T, Wada S, Takahashi K, Pedro PB, An TZ, Kasai M. Vitrification of human embryos based on the assessment of suitable conditions for 8-cell mouse embryos. *Hum Reprod* 1998; 13: 2874-9.
- Nagashima H, Kobayashi K, Yamakawa H, Ogawa S. Cryopreservation of mouse half-morulae and chimeric embryos by vitrification. *Mol Reprod Dev* 1991; 30: 220-5.
- Nakagata N. Survival of mouse morulae and blastocysts derived from in vitro fertilization after ultra rapid freezing. *Jikken Dobutsu* 1993; 42: 229-31.
- Nakao K, Nakagata N, Katsuki M. Simple and efficient vitrification procedure for cryopreservation of mouse embryos. *Exp Anim* 1997; 46: 231-4.
- Nakao K, Nakagata N, Katsuki M. Production of chimeric mice from cryopreserved blastocysts. *Exp Anim* 1998; 47: 167-71.
- Otsuka J, Takahashi A, Nagaoka M, Funabashi H. Optimal equilibration conditions for practical vitrification of two-cell mouse embryos. *Comp Med* 2002; 52: 342-6.
- Pedro PB, Zhu SE, Makino N, Sakurai T, Edashige K, Kasai M. Effects of hypotonic stress on the survival of mouse oocytes and embryos at various stages. *Cryobiology* 1997; 35: 150-8.
- Pogorelov AG, Katkov, II, Smolyaninova EI, Goldshtein DV. Changes in intracellular potassium and sodium content of 2-cell mouse embryos induced by exposition to vitrification concentrations of ethylene glycol. *Cryo Letters* 2006; 27: 87-98.
- Pribenszky C, Molnar M, Cseh S, Solti L. Improving post-thaw survival of cryopreserved mouse blastocysts by hydrostatic pressure challenge. *Anim Reprod Sci* 2005; 87: 143-50.
- Rall WF. Factors affecting the survival of mouse embryos cryopreserved by vitrification. *Cryobiology* 1987; 24: 387-402.
- Rall WF, Fahy GM. Ice-free cryopreservation of mouse embryos at -196 degrees C by vitrification. *Nature* 1985; 313: 573-5.
- Rall WF, Wood MJ. High in vitro and in vivo survival of day 3 mouse embryos vitrified or frozen in a non-toxic solution of glycerol and albumin. *J Reprod Fertil* 1994; 101: 681-8.
- Ramezani M, Valojerdi MR, Parivar K. Effect of three vitrification methods on development of two-cell mouse embryos. *Cryo Letters* 2005; 26: 85-92.
- Tharnprisarn W, Suwajanakorn S, Sereepapong W, Pruksananonda K, Boonyakasemsanti W, Virutamasen P, et al. Mouse blastocyst vitrification compared with the conventional slow-freezing method. *J Med Assoc Thai* 2003; 86: 666-71.
- Titterington JL, Robinson J, Killick SR, Hay DM. Synthetic and biological macromolecules: protection of mouse embryos during cryopreservation by vitrification. *Hum Reprod* 1995; 10: 649-53.

- Uechi H, Tsutsumi O, Morita Y, Takai Y, Taketani Y. Comparison of the effects of controlled-rate cryopreservation and vitrification on 2-cell mouse embryos and their subsequent development. *Hum Reprod* 1999; 14: 2827-32.
- Valdez CA, Abas Mazni O, Takahashi Y, Fujikawa S, Kanagawa H. Successful cryopreservation of mouse blastocysts using a new vitrification solution. *J Reprod Fertil* 1992; 96: 793-802.
- Valojerdi MR, Movahedin M, Hosseini A. Improvement of development of vitrified two-cell mouse embryos by vero cell coculture. *J Assist Reprod Genet* 2002; 19: 31-8.
- Walker DL, Gardner DK, Lane M, Tummon IS, Session DR, Thornhill AR. Cryosystem assessment by glucose uptake of murine blastocysts. *Reprod Biomed Online* 2005; 11: 601-7.
- Walker DL, Tummon IS, Hammitt DG, Session DR, Dumesic DA, Thornhill AR. Vitrification versus programmable rate freezing of late stage murine embryos: a randomized comparison prior to application in clinical IVF. *Reprod Biomed Online* 2004; 8: 558-68.
- Yang QE, Hou YP, Yang ZQ, Zhou GB, Li XW, Zhu SE. [Vitrification of mouse blastocyst by open pulled straw (OPS) method at different temperature]. *Fen Zi Xi Bao Sheng Wu Xue Bao* 2006; 39: 243-8.
- Yang QE, Hou YP, Zhou GB, Yang ZQ, Zhu SE. Stepwise in-straw dilution and direct transfer using open pulled straws (OPS) in the mouse: a potential model for field manipulation of vitrified embryos. *J Reprod Dev* 2007a; 53: 211-8.
- Yang ZQ, Zhou GB, Hou YP, Yan CL, Zhu SE. Effect of in-straw thawing on in vitro- and in vivo-development of vitrified mouse morulae. *Anim Biotechnol* 2007b; 18: 13-22.
- Zhao XH, Yue TF, Sui XL. [Cryopreservation of mouse morula and blastocysts by vitrification]. *Zhonghua Fu Chan Ke Za Zhi* 2004; 39: 526-8.
- Zhao XM, Quan GB, Zhou GB, Hou YP, Zhu SE. Conventional freezing, straw, and open-pulled straw vitrification of mouse two pronuclear (2-PN) stage embryos. *Anim Biotechnol* 2007; 18: 203-12.
- Zhou C, Zhou GB, Zhu SE, Hou YP, Jin F, Zhao XM, et al. Open-pulled straw (OPS) vitrification of mouse hatched blastocysts. *Anim Biotechnol* 2007; 18: 45-54.
- Zhou GB, Hou YP, Jin F, Yang QE, Yang ZQ, Quan GB, et al. Vitrification of mouse embryos at various stages by open-pulled straw (OPS) method. *Anim Biotechnol* 2005; 16: 153-63.
- Zhu L, Lou C, Huang MZ, Li H, Xing FQ. [Vitrification of mouse blastocysts using two kinds of straw systems]. *Di Yi Jun Yi Da Xue Xue Bao* 2003; 23: 992-5.
- Zhu SE, Kasai M, Otoge H, Sakurai T, Machida T. Cryopreservation of expanded mouse blastocysts by vitrification in ethylene glycol-based solutions. *J Reprod Fertil* 1993; 98: 139-45.
- Zhu SE, Sakurai T, Edashige K, Machida T, Kasai M. Cryopreservation of zona-hatched mouse blastocysts. *J Reprod Fertil* 1996; 107: 37-42.