

Freezing of mouse embryos

Agrawal KP, Polge C. Survival of mouse embryos after being frozen in glycerol-sucrose mixture. *Indian J Exp Biol* 1989; 27: 474-5.

Ahn HJ, Sohn IP, Kwon HC, Jo DH, Park YD, Min CK. Characteristics of the cell membrane fluidity, actin fibers, and mitochondrial dysfunctions of frozen-thawed two-cell mouse embryos. *Mol Reprod Dev* 2002; 61: 466-76.

Aksoy M, Takahashi Y, Hishinuma M, Elsheikh AS, Tanaka H, Kanagawa H. Influences of retrieval stages and glutathione addition on post-thaw viability of quick frozen mouse morula during in vitro culture. *Theriogenology* 1999; 51: 681-7.

Ashwood-Smith MJ, Morris GW, Fowler R, Appleton TC, Ashorn R. Physical factors are involved in the destruction of embryos and oocytes during freezing and thawing procedures. *Hum Reprod* 1988; 3: 795-802.

Auroux M, Cerutti I, Ducot B, Loeuillet A. Is embryo-cryopreservation really neutral? A new long-term effect of embryo freezing in mice: protection of adults from induced cancer according to strain and sex. *Reprod Toxicol* 2004; 18: 813-8.

Bafrani HH, Salsabil N, Pasbakhsh P, Hassani H, Movahedin M, Al-tarihi T, et al. Comparison of 1,2-propanediol and ethylene glycol for cryopreservation of slow-cooled mouse zygotes and their subsequent development. *J Assist Reprod Genet* 2003; 20: 234-40.

Balakier H, Zenzes M, Wang P, MacLusky NJ, Casper RF. The effect of cryopreservation on the development of S- and G2-phase mouse embryos. *J In Vitro Fert Embryo Transf* 1991; 8: 89-95.

Barg PE, Barad DH, Feichtinger W. Ultrarapid freezing (URF) of mouse and human preembryos: a modified approach. *J In Vitro Fert Embryo Transf* 1990; 7: 355-7.

Bernart W, Kamel M, Neulen J, Breckwoldt M. Influence of the developmental stage and the equilibration time on the outcome of ultrarapid cryopreservation of mouse embryos. *Hum Reprod* 1994; 9: 100-2.

Bernart W, Rabe T, Schleiermacher E, Anton-Lamprecht I, Runnebaum B. Freezing-thawing behaviour and cell membrane ultrastructure of mouse embryos pre-cultured in B2-Menezo medium before cryopreservation. *Hum Reprod* 1987; 2: 679-87.

Boone WR, Johnson JE, Blackhurst DW, Higdon IH. Cryopreservation methodologies: freezing location and protocol alter development of mouse embryos. *Contemp Top Lab Anim Sci* 2004; 43: 26-31.

Boubelik M, Cerna Z. A modified two-step method for cryopreservation of mouse embryos for purposes of embryo banking. *Folia Biol (Praha)* 1993; 39: 211-9.

Butler D. CNRS plays down 'embryo freezing' results. *Nature* 1995; 373: 553.

- Byers SL, Payson SJ, Taft RA. Performance of ten inbred mouse strains following assisted reproductive technologies (ARTs). *Theriogenology* 2006; 65: 1716-26.
- Capron C. Preserving embryos. *Nature* 1995; 375: 626.
- Carroll J, Kaye PL, Cummins JM. The effect of cryopreservation on functional correlates of embryo integrity. *J In Vitro Fert Embryo Transf* 1988; 5: 85-90.
- Chedid S, Van den Abbeel E, Van Steirteghem AC. Effects of cryopreservation on survival and development of interphase- and mitotic-stage 1-cell mouse embryos. *Hum Reprod* 1992; 7: 1451-6.
- Chin HJ, Wang CK. Utero-tubal transfer of mouse embryos. *Genesis* 2001; 30: 77-81.
- Cseh S, Wang G, Corselli J, Nehlsen-Cannarella SL, Bailey LL, Szalay AA. Rapid freezing of mouse embryos in ethylene glycol at different preimplantation stages. *Acta Vet Hung* 1996; 44: 457-65.
- Depypere HT, Carroll JC, Vandekerckhove D, Matthews CD. Normal survival and in-vitro development after cryopreservation of zona-drilled embryos in mice. *Hum Reprod* 1991; 6: 432-5.
- Desai N, Kattal N, AbdelHafez FF, Szeptycki-Lawson J, Goldfarb J. Granulocyte-macrophage colony stimulating factor (GM-CSF) and co-culture can affect post-thaw development and apoptosis in cryopreserved embryos. *J Assist Reprod Genet* 2007; 24: 215-22.
- Desai N, Lawson J, Goldfarb J. Assessment of growth factor effects on post-thaw development of cryopreserved mouse morulae to the blastocyst stage. *Hum Reprod* 2000; 15: 410-8.
- Dulioust E, Toyama K, Busnel MC, Moutier R, Carlier M, Marchaland C, et al. Long-term effects of embryo freezing in mice. *Proc Natl Acad Sci U S A* 1995; 92: 589-93.
- Dumoulin JC, Bergers-Janssen JM, Pieters MH, Engelsu ME, Geraedts JP, Evers JL. The protective effects of polymers in the cryopreservation of human and mouse zonae pellucidae and embryos. *Fertil Steril* 1994; 62: 793-8.
- Edashige K, Asano A, An TZ, Kasai M. Restoration of resistance to osmotic swelling of vitrified mouse embryos by short-term culture. *Cryobiology* 1999; 38: 273-80.
- Edashige K, Ohta S, Tanaka M, Kuwano T, Valdez DM, Jr., Hara T, et al. The role of aquaporin 3 in the movement of water and cryoprotectants in mouse morulae. *Biol Reprod* 2007; 77: 365-75.
- Edashige K, Tanaka M, Ichimaru N, Ota S, Yazawa K, Higashino Y, et al. Channel-dependent permeation of water and glycerol in mouse morulae. *Biol Reprod* 2006; 74: 625-32.
- Emiliani S, Van den Bergh M, Vannin AS, Biramane J, Englert Y. Comparison of ethylene glycol, 1,2-propanediol and glycerol for cryopreservation of slow-cooled mouse zygotes, 4-cell embryos and blastocysts. *Hum Reprod* 2000; 15: 905-10.
- Erhart B, Chan PJ, Patton WC, King A. Ofloxacin: the next generation of antibiotic in sperm and embryo cultures for assisted reproductive technologies. *Fertil Steril* 1998; 69: 246-51.
- Fuku E, Fiser PS, Marcus GJ, Sasada H, Downey BR. The effect of supercooling on the developmental capacity of mouse embryos. *Cryobiology* 1992; 29: 428-32.

- Garrisi GJ, Talansky BE, Sapira V, Gordon JW, Navot D. An intact zona pellucida is not necessary for successful mouse embryo cryopreservation. *Fertil Steril* 1992; 57: 677-81.
- George MA, Johnson MH. Cytoskeletal organization and zona sensitivity to digestion by chymotrypsin of frozen-thawed mouse oocytes. *Hum Reprod* 1993a; 8: 612-20.
- George MA, Johnson MH. Use of fetal bovine serum substitutes for the protection of the mouse zona pellucida against hardening during cryoprotectant addition. *Hum Reprod* 1993b; 8: 1898-900.
- George MA, Johnson MH, Vincent C. Use of fetal bovine serum to protect against zona hardening during preparation of mouse oocytes for cryopreservation. *Hum Reprod* 1992; 7: 408-12.
- Gol'dshtein DV, Smolyaninova EI, Pogorelov AG. Potassium assay in blastomere of two-cell mouse embryo after equilibration and washing from cryoprotector. *Bull Exp Biol Med* 2004; 138: 40-1.
- Goto K, Muguruma K, Kuramochi T, Shimosawa N, Hioki K, Itoh T, et al. Effects of cryopreservation of mouse embryos and in vitro fertilization on genotypic frequencies in colonies. *Mol Reprod Dev* 2002; 62: 307-11.
- Hershlag A, Feng HL. Effect of prefreeze assisted hatching on postthaw survival of mouse embryos. *Fertil Steril* 2005; 84: 1752-4.
- Honadel TE, Killian GJ. Cryopreservation of murine embryos with trehalose and glycerol. *Cryobiology* 1988; 25: 331-7.
- Hoogenkamp H. Freezing mouse blastocysts. The influence of the preparations prior to freezing on the survival rate of the blastocysts. *Vet Q* 1982; 4: 43-6.
- Hoshi K, Kanno Y, Katayose H, Yanagida K, Suzuki R, Sato A. Coculture of mouse embryos with cryopreserved human oviduct epithelial cells. *J Assist Reprod Genet* 1994; 11: 367-72.
- Ichikawa H, No H, Takei S, Takashimizu I, Yue F, Cui L, et al. Cryopreservation of mouse embryoid bodies. *Cryobiology* 2007; 54: 290-3.
- Ito M, Hioki K, Yokoyama M, Nomura T. Preservation of an inbred mouse strain by the storage of frozen embryos: an estimate of the time of occurrence of a serum IgG1 deficiency mutation found in MRL-lpr. *Lab Anim Sci* 1992; 42: 211-3.
- Jin B, Kusanagi K, Ueda M, Seki S, Valdez DM, Jr., Edashige K, et al. Formation of extracellular and intracellular ice during warming of vitrified mouse morulae and its effect on embryo survival. *Cryobiology* 2008; 56: 233-40.
- Kaneko T, Nakagata N. Relation between storage temperature and fertilizing ability of freeze-dried mouse spermatozoa. *Comp Med* 2005; 55: 140-4.
- Kang MJ, Han YM, Lee CS, Shin ST, Lee KK. Cryopreservation of blastomeres separated from two-cell mouse embryos by an ultrarapid freezing method. *J Assist Reprod Genet* 1994; 11: 409-13.
- Kasai M, Ito K, Edashige K. Morphological appearance of the cryopreserved mouse blastocyst as a tool to identify the type of cryoinjury. *Hum Reprod* 2002; 17: 1863-74.

- Keskintepe L, Agca Y, Pacholczyk GA, Machnicka A, Critser JK. Use of cryopreserved pronuclear embryos for the production of transgenic mice. *Biol Reprod* 2001; 65: 407-11.
- Khromenkova OB, Zhernoklev GV, Zhegunov GV, Grischenko VI. The incidence of mitotic abnormalities in cryopreserved eight-cell early and compacted mouse embryos. *Cryo Letters* 2003; 24: 27-32.
- Krzyminska U, O'Neill C. The effects of cryopreservation and thawing on the development in vitro and in vivo of biopsied 8-cell mouse embryos. *Hum Reprod* 1991; 6: 832-5.
- Kuleshova LL, Shaw JM. A strategy for rapid cooling of mouse embryos within a double straw to eliminate the risk of contamination during storage in liquid nitrogen. *Hum Reprod* 2000; 15: 2604-9.
- Lai AC, Ryan JP, Saunders DM. Removal of the zona pellucida and parthenogenetic activation affect rates of survival of ultrarapidly frozen mouse oocytes. *Reprod Fertil Dev* 1994; 6: 771-5.
- Landa V. "Two-step" freezing of individual blastomeres from mouse eight-cell embryos. *Folia Biol (Praha)* 1990; 36: 51-6.
- Landa V, Tepla O. Construction of aggregation chimaeras from 8-cell mouse embryos stored for several years in liquid nitrogen. *Folia Biol (Praha)* 1990; 36: 159-64.
- Lane M, Maybach JM, Gardner DK. Addition of ascorbate during cryopreservation stimulates subsequent embryo development. *Hum Reprod* 2002; 17: 2686-93.
- Lee JD, Chang MY, Chen FP, Soong YK. The survival and development rates in mouse embryo cryopreservation. *Changcheng Yi Xue Za Zhi* 1991; 14: 216-21.
- Lee RK, Su JT, Chen YW, Hwu YM. A comparison of the effects of different degrees of zona pellucida damage followed by cryopreservation on the postthaw development of mouse embryos. *J Assist Reprod Genet* 1997; 14: 170-3.
- Leibo SP, DeMayo FJ, O'Malley B. Production of transgenic mice from cryopreserved fertilized ova. *Mol Reprod Dev* 1991; 30: 313-9.
- Levron J, Willadsen SM, Shimmel T, Cohen J. Cryopreservation of activated mouse oocytes and zygote reconstitution after thaw. *Hum Reprod* 1998; 13 Suppl 4: 109-16.
- Li R, Trounson A. Rapid freezing of the mouse blastocyst: effects of cryoprotectants and of time and temperature of exposure to cryoprotectant before direct plunging into liquid nitrogen. *Reprod Fertil Dev* 1991; 3: 175-83.
- Liu J, Van den Abbeel E, Van Steirteghem A. The in-vitro and in-vivo developmental potential of frozen and non-frozen biopsied 8-cell mouse embryos. *Hum Reprod* 1993a; 8: 1481-6.
- Liu J, Van den Abbeel E, Van Steirteghem AC. Assessment of ultrarapid and slow freezing procedures for 1-cell and 4-cell mouse embryos. *Hum Reprod* 1993b; 8: 1115-9.
- Liu WX, Zheng Y, Luo MJ, Huang P, Yue LM, Wang L, et al. Effects of removal of necrotic blastomeres from mouse cryopreserved embryos on blastocyst formation and hatching. *Theriogenology* 2005; 64: 1114-20.

- Ludwig M, Al-Hasani S, Felberbaum R, Diedrich K. New aspects of cryopreservation of oocytes and embryos in assisted reproduction and future perspectives. *Hum Reprod* 1999; 14 Suppl 1: 162-85.
- Ludwig M, Muschalla H, Al-Hasani S, Diedrich K. The effect of multiple cryopreservation procedures and blastomere biopsy on the in-vitro development of mouse embryos. *Hum Reprod* 1998; 13: 3165-8.
- Luo MJ, Liu N, Miao DQ, Lan GC, Suo F, Chang ZL, et al. [Cryopreservation of mouse embryos in ethylene glycol-based solutions: a search for the optimal and simple protocols]. *Sheng Wu Gong Cheng Xue Bao* 2005; 21: 766-72.
- Macas E, Xie M, Keller PJ, Imthurn B, Rulicke T. Developmental capacities of two-cell mouse embryos frozen by three methods. *J In Vitro Fert Embryo Transf* 1991; 8: 208-12.
- Mahadevan MM, McIntosh Q, Miller MM, Breckinridge SM, Maris M, Moutos DM. Formaldehyde in cryoprotectant propanediol and effect on mouse zygotes. *Hum Reprod* 1998; 13: 979-82.
- Mahadevan MM, Miller MM. Deleterious effect of equilibration temperature on the toxicity of propanediol during cryopreservation of mouse zygotes. *J Assist Reprod Genet* 1997; 14: 51-4.
- Mandelbaum J. Cryopreservation of oocytes and embryos. *Curr Opin Obstet Gynecol* 1991; 3: 662-7.
- Marti M, Grossmann M, Santalo J, Egozcue J, Ponsa M. Characteristics of actin fibers and ultrastructure of the contact regions involved in the separation of blastomeres of two-cell mouse embryos, frozen-thawed without the zona pellucida. *Cryobiology* 1997; 34: 94-106.
- Marti M, Grossmann M, Santalo J, Egozcue J, Ponsa M. Plasma membrane and cytocortex alterations in frozen/thawed mouse embryos deprived of the zona pellucida. *J Exp Zool* 1998; 280: 38-44.
- Marti M, Nogues C, Egozcue J, Ponsa M. Freezing of zona-free mouse embryos: characteristics of the plasma membrane and subsequent development of the embryos. *J Exp Zool* 1995; 272: 227-34.
- Matson PL, Graefling J, Junk SM, Yovich JL, Edirisinghe WR. Cryopreservation of oocytes and embryos: use of a mouse model to investigate effects upon zona hardness and formulate treatment strategies in an in-vitro fertilization programme. *Hum Reprod* 1997; 12: 1550-3.
- McWilliams RB, Gibbons WE, Leibo SP. Osmotic and physiological responses of mouse zygotes and human oocytes to mono- and disaccharides. *Hum Reprod* 1995; 10: 1163-71.
- Meyer TK, Yurchak MR, Pliego JF, Wincek TJ, Dukelow WR, Kuehl TJ. Cryopreservation of murine zygotes for use in testing culture environments. *Lab Anim Sci* 1997; 47: 496-9.
- Miralles A, Sacristan JC, Martinez E, Garcia J. Straw thermal stabilizer for embryo cryopreservation. *Cryobiology* 1994; 31: 171-9.
- Miyoshi I, Ishikawa K, Kasai M, Kasai N. Useful short-range transport of mouse embryos by means of a nonfreezing technique. *Lab Anim Sci* 1992; 42: 198-201.

- Morris GJ, Acton E, Faszler K, Franklin A, Yin H, Bodine R, et al. Cryopreservation of murine embryos, human spermatozoa and embryonic stem cells using a liquid nitrogen-free, controlled rate freezer. *Reprod Biomed Online* 2006; 13: 421-6.
- Nakagata N. Studies on cryopreservation of embryos and gametes in mice. *Exp Anim* 1995; 44: 1-8.
- Nakagata N. Use of cryopreservation techniques of embryos and spermatozoa for production of transgenic (Tg) mice and for maintenance of Tg mouse lines. *Lab Anim Sci* 1996; 46: 236-8.
- Nakagata N. [Cryopreservation of mouse embryo and gametes and their application]. *Exp Anim* 1998; 47: suppl 131-8.
- Nakamura K, Tsunoda Y. Viability of nuclei of two-cell mouse embryos stored at 4 degrees C and fused with blastomeres of fresh two-cell embryos. *Cryobiology* 1992; 29: 493-9.
- Nematollahi N, Valojerdi MR. Effect of Vero cell coculture on the development of frozen-thawed two-cell mouse embryos. *J Assist Reprod Genet* 1999; 16: 380-4.
- Nowshari MA, Brem G. Effect of cryoprotectants and their concentration on post-thaw survival and development of expanded mouse blastocysts frozen by a simple rapid-freezing procedure. *Theriogenology* 1998; 50: 1001-13.
- Nowshari MA, Brem G. The protective action of polyvinyl alcohol during rapid-freezing of mouse embryos. *Theriogenology* 2000; 53: 1157-66.
- Nowshari MA, Brem G. Effect of freezing rate and exposure time to cryoprotectant on the development of mouse pronuclear stage embryos. *Hum Reprod* 2001; 16: 2368-73.
- Nowshari MA, Nayudu PL, Hodges JK. Effect of cryoprotectants and their concentration on post-thaw survival and development of rapid frozen-thawed pronuclear stage mouse embryos. *Hum Reprod* 1995; 10: 3237-42.
- Onohara Y, Harada T, Tanikawa M, Mio Y, Terakawa N. Assessment of functional integrity of frozen-thawed mouse embryos by albumin and leucine uptake. *Hum Reprod* 1994; 9: 122-7.
- Palasz A, Alkemade S, Mapletoft RJ. The use of sodium hyaluronate in freezing media for bovine and murine embryos. *Cryobiology* 1993; 30: 172-8.
- Palasz AT, Thundathil J, De La Fuente J, Mapletoft RJ. Effect of reduced concentrations of glycerol and various macromolecules on the cryopreservation of mouse and cattle embryos. *Cryobiology* 2000; 41: 35-42.
- Papayannis M, Eyheremendy V, Sanjurjo C, Blaquier J, Raffo FG. Effect of granulocyte-macrophage colony stimulating factor on growth, resistance to freezing and thawing and re-expansion of murine blastocysts. *Reprod Biomed Online* 2007; 14: 96-101.
- Parker-Thornburg JV, Alana JL, Smith CN, Detry M, Rojas ML, Baskin KK. Cryopreserved morulae can be used to efficiently generate germline-transmitting chimeras by blastocyst injection. *Transgenic Res* 2005; 14: 685-90.
- Pedro PB, Yokoyama E, Zhu SE, Yoshida N, Valdez DM, Jr., Tanaka M, et al. Permeability of mouse oocytes and embryos at various developmental stages to five cryoprotectants. *J Reprod Dev* 2005; 51: 235-46.

- Pfaff RT, Liu J, Gao D, Peter AT, Li TK, Critser JK. Water and DMSO membrane permeability characteristics of in-vivo- and in-vitro-derived and cultured murine oocytes and embryos. *Mol Hum Reprod* 1998; 4: 51-9.
- Phophong P, Doshi A, Harper JC. Comparison of embryonic development in cleavage stage mouse embryo biopsy between acid Tyrode's solution and laser assisted techniques. *J Med Assoc Thai* 2001; 84: 1190-8.
- Pomp D, Eisen EJ. Genetic control of survival of frozen mouse embryos. *Biol Reprod* 1990; 42: 775-86.
- Pribenszky C, Molnar M, Cseh S, Solti L. Survival of mouse blastocysts after low-temperature preservation under high pressure. *Acta Vet Hung* 2004; 52: 479-87.
- Rall WF, Schmidt PM, Lin X, Brown SS, Ward AC, Hansen CT. Factors affecting the efficiency of embryo cryopreservation and rederivation of rat and mouse models. *ILAR J* 2000; 41: 221-7.
- Reinthaller A, Kainz C, Deutinger J, Bieglmayer C. Development of mouse embryos following conventional and ultra rapid cryopreservation. *Arch Gynecol Obstet* 1988; 244: 33-8.
- Renard JP, Babinet C. High survival of mouse embryos after rapid freezing and thawing inside plastic straws with 1-2 propanediol as cryoprotectant. *J Exp Zool* 1984; 230: 443-8.
- Richa J. Cryopreservation of mouse embryos. *Methods Mol Biol* 2000; 135: 77-82.
- Rulicke T, Autenried P. Potential of two-cell mouse embryos to develop to term despite partial damage after cryopreservation. *Lab Anim* 1995; 29: 320-6.
- Ruppert-Lingham CJ, Paynter SJ, Godfrey J, Fuller BJ, Shaw RW. Membrane integrity and development of immature murine cumulus-oocyte complexes following slow cooling to -60 degrees C: the effect of immediate rewarming, plunging into LN2 and two-controlled-rate-stage cooling. *Cryobiology* 2006; 52: 219-27.
- Sathananthan AH, Ng SC, Trounson AO, Bongso A, Ratnam SS, Ho J, et al. The effects of ultrarapid freezing on meiotic and mitotic spindles of mouse oocytes and embryos. *Gamete Res* 1988; 21: 385-401.
- Schmidt PM, Hansen CT, Wildt DE. Viability of frozen-thawed mouse embryos is affected by genotype. *Biol Reprod* 1985; 32: 507-14.
- Scott LF, Sundaram SG, Smith S. The use of a liquid-phase controlled rate freezing system for the successful cryopreservation of mouse pre-embryos. *Fertil Steril* 1993; 60: 351-8.
- Shaw JM, Diotallevi L, Trounson AO. A simple rapid 4.5 M dimethyl-sulfoxide freezing technique for the cryopreservation of one-cell to blastocyst stage preimplantation mouse embryos. *Reprod Fertil Dev* 1991a; 3: 621-6.
- Shaw JM, Kola I, MacFarlane DR, Trounson AO. An association between chromosomal abnormalities in rapidly frozen 2-cell mouse embryos and the ice-forming properties of the cryoprotective solution. *J Reprod Fertil* 1991b; 91: 9-18.
- Shaw JM, Trounson AO. Effect of dimethyl sulfoxide and protein concentration on the viability of two-cell mouse embryos frozen with a rapid freezing technique. *Cryobiology* 1989; 26: 413-21.

- Shaw JM, Ward C, Trounson AO. Evaluation of propanediol, ethylene glycol, sucrose and antifreeze proteins on the survival of slow-cooled mouse pronuclear and 4-cell embryos. *Hum Reprod* 1995; 10: 396-402.
- Snabes MC, Cota J, Hughes MR. Cryopreserved mouse embryos can successfully survive biopsy and refreezing. *J Assist Reprod Genet* 1993; 10: 513-6.
- Sohn IP, Ahn HJ, Park DW, Gye MC, Jo DH, Kim SY, et al. Amelioration of mitochondrial dysfunction and apoptosis of two-cell mouse embryos after freezing and thawing by the high frequency liquid nitrogen infusion. *Mol Cells* 2002; 13: 272-80.
- Sotomaru Y, Kato Y, Tsunoda Y. Production of monozygotic twins after freezing and thawing of bisected mouse embryos. *Cryobiology* 1998; 37: 139-45.
- Stachecki JJ, Cohen J, Schimmel T, Willadsen SM. Fetal development of mouse oocytes and zygotes cryopreserved in a nonconventional freezing medium. *Cryobiology* 2002; 44: 5-13.
- Tao J, Tamis R, Fink K. Cryopreservation of mouse embryos at morula/compact stage. *J Assist Reprod Genet* 2001; 18: 235-43.
- Thompson LA, Srikantharajah A, Hamilton MP, Templeton A. A comparison of the effects of different biopsy strategies on the post-thaw survival of 8-cell-stage mouse embryos: implications for preimplantation diagnosis. *Hum Reprod* 1995; 10: 659-63.
- Titterington JL, Robinson J. The protective action of polyvinylpyrrolidone-Percoll during the cryopreservation of mouse 2-cell embryos and its effect on subsequent developmental potential post-thaw in vitro and in vivo. *Hum Reprod* 1996; 11: 2697-702.
- Todorow SJ, Siebzehrubl ER, Koch R, Wildt L, Lang N. Comparative results on survival of human and animal eggs using different cryoprotectants and freeze-thawing regimens. I. Mouse and hamster. *Hum Reprod* 1989; 4: 805-11.
- Toner M, Cravalho EG, Stachecki J, Fitzgerald T, Tompkins RG, Yarmush ML, et al. Nonequilibrium freezing of one-cell mouse embryos. Membrane integrity and developmental potential. *Biophys J* 1993; 64: 1908-21.
- Trounson A, Peura A, Kirby C. Ultrarapid freezing: a new low-cost and effective method of embryo cryopreservation. *Fertil Steril* 1987; 48: 843-50.
- Uechi H, Tsutsumi O, Morita Y, Taketani Y. Cryopreservation of mouse embryos affects later embryonic development possibly through reduced expression of the glucose transporter GLUT1. *Mol Reprod Dev* 1997; 48: 496-500.
- Valdez CA, Hishinuma M, Takahashi Y, Kanagawa H. Effect of trehalose dilution on the survival of vitrified-thawed mouse morulae. *Jpn J Vet Res* 1991; 39: 23-6.
- van den Abbeel E, van der Elst J, van der Linden M, van Steirteghem AC. High survival rate of one-cell mouse embryos cooled rapidly to -196 degrees C after exposure to a propylene glycol-dimethylsulfoxide-sucrose solution. *Cryobiology* 1997; 34: 1-12.
- Van den Abbeel E, Van der Elst J, Van Steirteghem AC. The effect of temperature at which slow cooling is terminated and of thawing rate on the survival of one-cell mouse embryos frozen in dimethyl sulfoxide or 1,2-propanediol solutions. *Cryobiology* 1994; 31: 423-33.

- Van den Abbeel E, Van Steirteghem AC. Cryopreservation of in vitro cultured mouse preimplantation embryos. *Ann Biol Clin (Paris)* 1987; 45: 460-3.
- Van der Elst J, Nerinckx S, Van Steirteghem AC. Association of ultrarapid freezing of mouse oocytes with increased polyploidy at the pronucleate stage, reduced cell numbers in blastocysts and impaired fetal development. *J Reprod Fertil* 1993; 99: 25-32.
- Van der Elst J, Van den Abbeel E, Van Steirteghem AC. The effect of equilibration temperature and time on the outcome of ultrarapid freezing of 1-cell mouse embryos. *Hum Reprod* 1995; 10: 379-83.
- Vasuthevan S, Ng SC, Bongso A, Ratnam SS. Embryonic behavior of two-cell mouse embryos frozen by the one- and two-step ultrarapid techniques. *J Assist Reprod Genet* 1992a; 9: 545-50.
- Vasuthevan S, Ng SC, Edirisinghe R, Bongso A, Ratnam S. The evaluation of various culture media in combination with dimethylsulfoxide for ultrarapid freezing of murine embryos. *Fertil Steril* 1992b; 58: 1250-3.
- Vincent C, Johnson MH. Cooling, cryoprotectants, and the cytoskeleton of the mammalian oocyte. *Oxf Rev Reprod Biol* 1992; 14: 73-100.
- Vitale NJ, Myers MW, Denniston RS, Leibo SP, Godke RA. In-vitro development of refrozen mouse embryos. *Hum Reprod* 1997; 12: 310-6.
- Walker DL, Hammitt DG, Dumesic PA, Thornhill AR. Equivalent blastocyst rates after freezing murine embryos in Cryo Bio System high security or standard instruments-medicine-veterinarian straws. *Fertil Steril* 2003; 80 Suppl 2: 743-6.
- Whittingham DG. Survival of mouse embryos after freezing and thawing. *Nature* 1971; 233: 125-6.
- Wiggins PM, Rowlandson J, Ferguson AB. Preservation of murine embryos in a state of dormancy at 4 degreesC. *Am J Physiol* 1999; 276: C291-9.
- Wilmot I. Cryopreservation of mammalian eggs and embryos. *Dev Biol (N Y 1985)* 1986; 4: 217-47.
- Wilson L, Quinn P. Development of mouse embryos cryopreserved by an ultra-rapid method of freezing. *Hum Reprod* 1989; 4: 86-90.
- Wilton LJ, Shaw JM, Trounson AO. Successful single-cell biopsy and cryopreservation of preimplantation mouse embryos. *Fertil Steril* 1989; 51: 513-7.
- Wood MJ, Sjoblom P, Lindenberg S, Kimber SJ. Effect of slow and ultra-rapid freezing on cell surface antigens of 8-cell mouse embryos. *J Exp Zool* 1992; 262: 330-9.
- Yoshiki A, Ohno K, Wakasugi N. Cryopreservation of strains and mutant genes in mice. *Jikken Dobutsu* 1987; 36: 379-86.